

VARIO PERGOLA

SELF SUPPORTING SUNROOF

Where there is not an existing pergola or other structure for shading courtyards, decks, and outdoor living areas, why not create an outdoor room with this clever new sun control solution.

The Vario-Pergola self-supporting sunroof adds a new dimension to the Helioscreen outdoor living range. The Vario-Pergola is suitable for a wide variety of applications and is more flexible than traditional conservatory or winter garden awning products. It can be installed using wall or ceiling brackets and doesn't require a classical substructure, as it supports itself on 60x60mm square front posts.

Lightweight but robust, the Vario-Pergola is based on the popular Varioscreen® system and comes with in-built water gutters on the side channels allowing outdoor areas to be utilised in light rain (min 14 degrees fall required).

Available in Helio 93, Helio 86, or Helioshade 100 Fabric ranges, the Vario-Pergola is an attractive addition to any building and extends your outdoor living space – all year round.



Coupled units

Single unit

Wall bracket

Side gutters

SPECIFICATIONS

- ALL UNITS CUSTOM POWDER COAT/EPDM ROOFING OR ROLLER TUBE TO AVOID FABRIC DAMAGE
- 120 standard colours (Dulux)
- 3 SIDE RAILS IN EXTRUDED ALUMINIUM
- MAXIMUM WIDTH 3000 MM PER UNIT with integrated rain gutter
- MAXIMUM PROJECTION 100 MM PER UNIT
- MAXIMUM SIZE 30 SQM
- TENSION SYSTEM INTEGRATED POSITIVE LIFT ALUMINIUM WALL BRACKETS WITH TILTING RANGE OF 0 - 35°
- (power-spring mechanism in the roller tube), which tightens the skin in any position
- (no coil springs or gas struts to replace ever!)
- 40 FIX MOUNTING BRACKETS AVAILABLE
- ALL VARIO PERGOLA UNITS COME WITH FABRIC ROLLER(S) INCLUDED
- 3 SINGLE EXTRUDED REINFORCED FRONT BAR



VARIO PERGOLA

SELF SUPPORTING SUNROOF

FEATURES

- 5 year warranty
- Reflect and absorb harmful UV radiation
- Motorised operation with remote control
- Automatic wind sensor retractor
- Single units can be butted side-by-side using a double centre rail
- Easy installation
- Beaufort wind scale 6 (39-49 km/h)



HELIOSCREEN'S INDOOR AND OUTDOOR RANGE

- ☑ 90% Reduced Heat Radiation
- ☑ Windsensor Retractor
- 🔒 5 Years Warranty
- 🔌 Powered by Somfy 5 year motor warranty

Includes Rolleblinds, Romarblinds, Paneelides, Blackouts, Externascreens, Retractable sunroofs, Awnings, External venetians.

For further information

Sunteca Pty Ltd – Located Australia Wide
www.awnings.com.au | sales@blinds.com.au |
Phone 1300 **853 518**

 **helioscreen**[®]
Intelligent Sun Control Solutions[®]